# Section 1. Product and Company Identification

Product Name	PRECIDIUM <sup>TM</sup> 550D Resin		
Manufacturer	Quantum Technical Services Ltd. (Dba Quantum Chemical) 15 Riel Drive St. Albert, AB, Canada T8N 3Z2 Tel: (780) 458-3355 (non-emergency phone number) Fax: (780) 458-2852 www.quantumchemical.com		
Chemical Emergencies	For 24-Hour Emergency call Canutec at 613.996.6666		
Section 2. Hazards Id	lentification		
OSHA/HCS Status:	This material is considered hazardous by OSHA Hazard Con 1910.1200)	nmunication Standard (29 CFR	
WHMIS Classification:	D1B, E.		
Classification of the Substance or Mixture:	Acute Toxicity: Oral Acute Toxicity: Dermal Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific Target Organ Toxicity (repeated exposure) Acute Aquatic Toxicity Chronic Aquatic Toxicity	Category 4 Category 4 Category 1B Category 1 Category 2 Category 1 Category 1	

GHS Label Elements Pictograms:



Signal Word:	Danger
Hazard Statements:	H312 Harmful in contact with skin.
	H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H410 Very toxic to aquatic life with long lasting effects.
	H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary Statements:	<b>P280</b> Wear protective gloves/protective clothing/eye protection/face protection.
-	P264 Wash with plenty of soap and water thoroughly after handling.
	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
	<b>P270</b> Do not eat, drink or smoke when using this product.
	P273 Avoid release to the environment.

Response:	<ul> <li>P303+P361+P350 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do so. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/attention.</li> <li>P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P312 Call a POISON CENTER/doctor if you feel unwell.</li> </ul>
Storage:	<b>P403+P233</b> Store in a well-ventilated place. Keep container tightly closed. <b>P405</b> Store locked up.
Disposal:	<b>P501</b> Dispose of contents/containers in accordance with local/regional/national/international regulations.
Hazards not otherwise classified:	Emergency Overview
	Danger.
	Corrosive liquid.
	Toxic if absorbed through skin.
	Prolonged or repeated contact may result in dermatitis.
	Causes skin burns.
	Causes eye burns.
	May cause respiratory tract irritation.
	Use with local exhaust ventilation
	Wear NIOSH-certified (or equivalent) organic vanour/narticulate respirator
	Wear NIOSH-certified chemical googles
	Wear protective clothing.
	Eye wash fountains must be easily accessible.
	Wear full face shield if splashing hazard exists.

# Section 3. Composition and Ingredient Information

Ingredients	%	ACGHI TLV	C.A.S. #	LD50	LC50
Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	30-60	n/a	9046-10-0	Oral, Rat 2885 mg/kg	Inhalation , Rat >0.74 mg/l 8 hours, no mortality
Benzenediamine,ar,ar—diethyl- Ar-methyl-	10-30	n/a	68479-98-1	Oral, Rat 738 mg/kg Dermal, Rabbit >2000 mg/kg	n/a
Dioctylterephthalate	10-30	n/a	6422-86-2		

Note: Concentration ranges are given to protect proprietary information.

# Section 4. First Aid Measures

Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Obtain immediate medical attention.
Skin Contact:	In case of contact, immediately flush skin with plenty of soap and water. Remove contaminated clothing. Wash clothing before reuse. Obtain immediate medical attention

Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.
Ingestion:	If ingested, dilute with water. Consult a physician. <b>Do not induce vomiting</b> . Never give anything by mouth to an unconscious person.

## Section 5. Fire Fighting Measures

Flash Point:	234°C. (CC).
Auto Ignition Temperature (C):	330°C.
Upper Explosive Limit:	Not available.
Lower Explosive Limit:	Not available.
Extinguishing Media:	Water fog. Use flooding amounts of water in early stages of fire.
Unusual Hazards:	Not applicable.
Sensitivity to Mechanical Impact:	Not expected to be sensitive to mechanical impact.
Sensitivity to Static Discharge:	Not expected to be sensitive to static discharge.
Special Fire Fighting Procedures:	Cool fire-exposed containers with water spray. Heat will cause pressure buildup and
	may cause explosive rupture. Firefighter should be equipped with self-contained
	breathing apparatus to protect against potentially toxic and irritating fumes.

#### Section 6. Accidental Release Measures

Leak/Spill: Spills should be contained, solidified, and placed in suitable containers for disposal in a licensed facility. Wear respiratory protection and protective clothing. Provide adequate ventilation. This product is an alkaline. Before discharging sewage into treatment plants neutralization is generally required. It can be mechanically removed from water due to insolubility.

## Section 7. Handling and Storage

Handling Procedures:	Avoid skin and eye contact. Avoid breathing fumes. Remove contaminated clothing before reuse. Maintain good personal hygiene.
Storage Needs:	Store in a cool and dry place, for product integrity. Store in tightly sealed container and protect from moisture and foreign materials. Keep container closed when not in use.

## Section 8. Exposure Controls and Personal Protection

Protective Equipment: Eye/Type:	Liquid chemical goggles. Contact lenses should not be worn.
Respiratory/Typ	e: At least an air-purifying respirator equipped with an organic vapor cartridge and particulate pre-filters must be worn.
Gloves/Type:	Rubber or plastic gloves. Butyl rubber gloves. Nitrile rubber. A barrier cream. Practice good hygiene; wash thoroughly before handling any food.
Clothing/Type:	Wear adequate protective clothes.
Other/Type:	Eyewash fountain. Emergency shower should be in close proximity.
Ventilation Requirements	: Ventilate adequately.

# Section 9. Physical and Chemical Properties

Physical State:	Liquid.
Odor:	Amine.
Specific Gravity:	Approximately 1.1.
Odor Threshold (ppm):	Not applicable.
Vapor Pressure (mm Hg):	0.9 @ 234°C.
Vapor Density (Air=1):	>1.
Evaporation Rate:	Non-volatile.
Boiling Point:	250°C.
pH:	10-11.
Solubility in Water:	1 %.
Freezing Point (° C):	-29°C.

# Section 10. Stability and Reactivity

Incompatibility:	Acids, isocyanates and oxidizing agents.
Reactivity Conditions:	See "incompatibility".
Hazardous products of Decomposition:	Carbon Monoxide/Dioxide. NOx.

# Section 11. Toxicological Information

No data exists for product itself. **Component Acute Toxicity**:

Oral, Rat LD50 2885 mg/kg	Inhalation , Rat LC50 >0.74 mg/l 8 hours, no mortality	Dermal, Rabbit LD50 2980 mg/kg
Oral, Rat LD50 738 mg/kg	n/a	Dermal, Rabbit LD50 >2000 mg/kg
Oral, Rat LD50 >5000 mg/kg	Inhalation, Rat not known	Dermal, Guinea Pig LD50 >19,670 mg/Litre
Negative in mammalian cells or bacteria.		
In Vitro: positive and negative results in bacterial and mammalian cells in the presence of metabolic activation. In Vivo: Mouse micronucleus test: negative. Dominant lethal test: rat, negative.		
No known effect in humans or animals		
No data available.		
Not listed as carcinogenic by ACGIH, IARC, NTP, OSHA.		
Not considered carcinogenic in humans or animals.		
	Oral, Rat LD50 2885 mg/kg Oral, Rat LD50 738 mg/kg Oral, Rat LD50 >5000 mg/kg Negative in mammalian co In Vitro: positive and nega the presence of metabolic Dominant lethal test: rat, r No known effect in humar No data available. Not listed as carcinogenic Not considered carcinogen	Oral, RatInhalation , RatLD50 2885 mg/kgLC50 >0.74 mg/l 8 hours, no mortalityOral, Ratn/aLD50 738 mg/kgInhalation, RatOral, RatInhalation, RatLD50 >5000 mg/kgnot knownNegative in mammalian cells or bacteria.In Vitro: positive and negative results in bacterial and the presence of metabolic activation. In Vivo: Mouse Dominant lethal test: rat, negative.No known effect in humans or animalsNo data available.Not listed as carcinogenic by ACGIH, IARC, NTP, ONot considered carcinogenic in humans or animals.

#### **Reproductive Toxicity:**

Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	No indication of a fertility impairing effect.
Benzenediamine,ar,ar—diethyl- Ar-methyl-	No effect on reproductive organs in repeated dose studies in rats.
Dioctylterephthalate	No known effect in humans or animals.
Teratogenicity:	
Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	No indications of a developmental toxic/teratogenic were seen in animal studies.
Benzenediamine,ar,ar—diethyl- Ar-methyl-	No data available.
Dioctylterephthalate	No data available.
Sensitization:	
Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	No data available.
Benzenediamine,ar,ar—diethyl- Ar-methyl-	Not sensitizing (guinea pig).
Dioctylterephthalate	Not sensitizing in humans or animals

# Section 12. Ecological Information

No data available for product itself.

<b>Toxicity:</b> Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	Fish LC 50 (96 h) >15 mg/l Oncorhynchus mykiss	<b>Daphnia</b> EC50 (48 h) 80 mg/l	Algae
Benzenediamine,ar,ar—diethyl- Ar-methyl-	LC50 (48 h) 200 mg/l	LC50 (48 h) 0.5 mg/l	EC10 (72 h) 54 mg/l
Dioctylterephthalate	LC50 (96 h) >984 mg/l Pimephelas promelas	EC50 (48 h) 1400 mg/l	EC50 >0.86 mg/l
Biodegrability:	I I I I I I I I I I I I I I I I I I I		
Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	Not readily biodegradable	(by OECD criteria).	
Benzenediamine,ar,ar—diethyl- Ar-methyl-	Not readily biodegradable		
Dioctylterephthalate	Not readily biodegradable		

#### **Bioaccumulative Potential:**

Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).
Benzenediamine,ar,ar—diethyl- Ar-methyl-	No information available.
Dioctylterephthalate	No information available.
<b>Mobility in Soil:</b> Alpha-(2-Aminomethylethyl) -omega-(2-aminomethylethoxy) -poly(oxy(methyl-1,2 ethanediyl))	Adsorption to solid phase is not expected.
Benzenediamine,ar,ar—diethyl- Ar-methyl-	The substance is expected to partition primarily to soil and water. Koc = $0.32-551 \text{ l/kg}$ (QSAR estimate) Henrys law constant = .
Dioctylterephthalate	No data available.

#### Section 13. Disposal Considerations

Waste Disposal:In accordance with municipal, provincial and federal regulations. Empty containers must be<br/>handled with care due to product residue. Do not heat or cut empty containers with electric or<br/>gas torch.

## Section 14. Transport Information

T.D.G. Classification:	Amine, liquid, corrosive, N.O.S., Class 8, UN2735, Packing Group III.
US DOT:	
Hazard Class:	8.
Packing Group:	II.
ID Number:	UN 2735.
Hazard Label:	8.
Proper Shipping Name:	Amines, Liquid, Corrosive, N.O.S. (contains polyetherdiamine).

This product is classified as Class 8 because a major component is Class 8.

### Section 15. Regulatory Information

WHMIS Classification:	Class D, Division 1, Subdivision B (Toxic), Class E (corrosive).
Canadian DSL:	All components are listed or exempted.
US TSCA:	Released/listed.

## Section 16. Other Information

Revision Date:	February 27, 2023
Note:	This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Quantum Technical Services Limited. The data on this sheet relates only to the energies metarical designated herein. Overturn Technical Services Ltd.
	legal responsibility for use or reliance upon this data.